



**CHUCK**

# ショートテーパチャックの 旋盤適合表

型 式	第一主軸		第二主軸	
	形状 (JIS)		形状 (JIS)	
(株) 池 貝	AN	20N	A2-6	-
		25N	A2-8	-
	AX	30N	A2-8	-
	EC18	40B	A2-15	-
	ED18		A1-5	-
	FT		A1-5	-
		20	A2-6	-
	FX	20U,25U,20J,25J,600	A2-8	-
		10N	A2-5	-
		15N,MINI	スリット,フレット仕様	-
		20N	A1-6	-
		20II	A2-6	-
	LX20N		A2-8	-
			A1-6	-
	TC	8,10	スリット,フレット仕様	-
15		A2-6	-	
25		A2-8	-	
		A2-8	-	
TCR	15	A2-6	-	
	25,25Y	A2-8	-	
TU	15	A2-6	-	
TUR	15	A2-6	-	
TM25YS	サブ	A2-6	-	
	メイン	A2-8	-	
オークマ(株)	LB	2000EX	φ140フラット (A2-6)	φ140フラット
		2500EX	A2-6	-
		3000EX	A2-6(A2-8,A2-11)	φ140フラット
		4000EX	A2-8(A2-11)	-
		2000EXII	φ140フラット (A2-6)	φ140フラット
		2500EXII	A2-6	-
		3000EXII	A2-6(A2-8,A2-11)	φ140フラット
		4000EXII	A2-8(A2-11)	-
		35II	A2-8(A2-11,A2-15)	-
		45II	A2-11(A2-20)	-
	GENOS	L250II	A2-6	-
		L400II	A2-8	-
		L2000	A2-6	-
		L3000	A2-8	-
		300	φ140フラット(A2-6,A2-8)	-
	LU	400	A2-8(A2-11)	-
		3000EX	A2-6	-
		4000EX	A2-8	-
		35	A2-8(A2-11,A2-15)	-
		45	A2-11(A2-20)	-
		35II	A2-8(A2-11,A2-15)	-
		45II	A2-11(A2-20)	-
		250	A2-6(A2-8)	-
	LCS	25	A2-8	-
		150H	φ140フラット	-
2SP	250H	A2-6	-	
	10HG	φ140フラット	φ140フラット	
	25HG	A2-6	A2-6	
	35HG,V40	A2-8	A2-8	
	V60,V80	A2-11	A2-11	
LFS	2500H	A2-6	-	
	10-2SP	φ140フラット	φ140フラット	
3SP	10M-2SP	φ140フラット	φ140フラット	
	25HG	A2-6	A2-6	
LVT	300	A2-6	-	
	400	A2-8	-	
LAW	FII,2S	A2-8	-	
	V24	A2-11	-	
MAC TURN	250	A2-6(A2-8)	φ140フラット(A2-6)	
	350	A2-6(A2-8)	φ140フラット(A2-6,A2-8)	
	550	A2-8(A2-11)	A2-8	
MULTUS	B200	φ140フラット	-	
	B200(W)	φ140フラット	φ140フラット	
	B300	A2-6(A2-8)	-	
	B300(W)	A2-6(A2-8)	A2-6	
	B400	A2-8(A2-11)	-	
	B400(W)	A2-8(A2-11)	A2-8	
	B550	A2-11	-	
	B750	A2-11(A2-15,A2-20)	-	
	B200II	φ140フラット(A2-6)	-	
	B250II	A2-6(A2-8)	-	
	B300II	A2-6(A2-8)	-	
	B400II	A2-8(A2-11)	-	
	U3000	A2-6	-	
	U4000	A2-8	-	

型 式	第一主軸		第二主軸		
	形状 (JIS)		形状 (JIS)		
オークマ(株)	U5000	A2-11	-		
		LT	200-M	φ140フラット(A2-6)	φ140フラット(A2-6)
			300-M	A2-6(A2-8)	A2-6(A2-8)
			2000EX	φ140フラット(A2-6)	φ140フラット(A2-6)
			3000EX	A2-6(A2-8)	A2-6(A2-8)
	LOC	650	A2-15(A2-20,φ725フラット)	-	
	LH(※)	55-N	A2-11(A2-15,A2-20)	-	
	HJ	18	φ140フラット	-	
		28,250	A2-6	-	
	HL	20	A2-6	-	
		35(L)	A2-8	-	
	SV	250	φ140フラット	-	
		40R	A2-8	-	
	V	60R,80R	A2-11	-	
		100R	φ380フラット	-	
760EX		A2-11	-		
920EX		A2-11	-		
VTM	70	A2-11	-		
VTM	65,100,80YB,120YB	A2-11	-		
※LHの取付けボルトはユニファイ仕様です。 ( )内は大径、超大径仕様					
KITAKOコーポレーション(株)	ACE		A2-6	-	
	mini ACE		A2-5	-	
	MT4	75,80,80-200,85	φ60フラット	-	
		120,120G,125	A2-5	-	
	MT3	170,200,250S	A2-6	-	
		120	A2-5	-	
		200	A2-6	-	
	TG1	52	A2-6	-	
	TM1	52	A2-6	-	
	V	5II,Turn	A2-6	-	
	VT1	200	A2-6	-	
		400,500	A2-8	-	
	VT2	500	A2-8	-	
	VT4	200	A2-6	-	
		450,550	A2-8	-	
鉄(株) 所出	HS	4200	A2-6	-	
	VT4	350	A2-8	-	
大日金属工業(株)	B70		A2-11	-	
	DGL	6,8,10	A1-6	-	
	DHK,DHM,N105,SH		A1-11	-	
	DLG	SH	A1-6	-	
		SHB	A1-11	-	
	DM	III	A1-11	-	
			A2-11	-	
	F	15	A2-5	-	
		20	A2-6	-	
		25	A1-6	-	
		30,35	A2-8	-	
	M95		A1-11	-	
	M	112,132,152	A2-15	-	
	(株) T A K I S A W A	TAL	460,510	A1-6	-
			600	A1-8	-
TC			100	フラットφ140	-
		200	A2-6orフラットφ140	-	
		350	A2-8	-	
		40	A2-11	-	
			-	-	
TK		2	A2-6	-	
TAC		360	A1-5	-	
		510,650	A2-8	-	
		780	A2-11	-	
		950	A2-11	-	
TSL		550,800	A1-5 ※開い合わせ要	-	
TT		160	フラットφ140	-	
		200	A2-6	-	
TMM	250	A2-8	A2-6		
	200	A2-6	A2-6		
TNR	200	A2-6	A2-6		
TCC	1100	フラットφ140	-		
	2100	A2-6	-		
TCN	2100	A2-6	-		
	2600	A2-8	-		
	3500	A2-8/A2-11	-		
TG	6000	A2-11/A2-15/A2-20	-		
	TT	500	フラットφ80	-	
	1100	フラットφ140	-		
	2100	フラットφ140	-		
	2600	A2-6	-		
	350	A2-8	-		

\* (株) 嶋田鉄工所 旧メーカー名: KITAKOコーポレーション(株)含む

型 式	第一主軸		第二主軸		
	形状 (JIS)	形状 (JIS)	形状 (JIS)	形状 (JIS)	
TK	2100	A2-6			
	2600	A2-8			
	TF	2600	A2-6		
		160	フラットφ140	フラットφ140	
	TCY	200	A2-6	フラットφ140	
		2000	A2-5	A2-5	
	TS	3000	A2-6	フラットφ140	
		4000	A2-8	フラットφ140	
		5000	A2-8/A2-11	A2-6/フラットφ140	
	TMX	2000	A2-6	A2-6	
4000		A2-6/A2-8/A2-11	A2-6/A2-8		
TM	4000	A2-8	A2-6		
TMM	250	A2-8	A2-6		
PAN	1,2	スリット,アレット仕様	-		
	NCM	45/160,70/160	スリット,アレット仕様	-	
	NL	1	A1-6	-	
TMC	12	A2-5	-		
	18	A2-6	-		
	TMY	25	A2-6	-	
		100	A2-5	A2-5(OPT)	
	SC	150II	A2-5	-	
		200	A2-6	A2-5(OPT)	
		250	A2-6	A2-5(OPT)	
		300II/II	A2-8	A2-5(OPT)	
		450	A2-8	-	
	TW	8	フラットφ108	フラットφ108	
10		A2-5	A2-5		
20		A2-6	A2-6		
30		A1-8	A1-8		
WT	100	A2-5	A2-5		
	150	A2-5	A2-5		
	250A	A2-6	A2-5		
	250B	A2-5	A2-5		
	250C	A2-5	A2-5		
JX	300	A2-6	A2-6		
	250	A2-6 (OPT A2-8)	A2-6		
	MX	100	A2-5 (OPT A2-6)	A2-5	
	STW/STS	40	A1-8	A1-8	
		150	ヒックホア φ65	A2-5 φ51	
	WTW/WTS	150	ヒックホア φ51	A2-5 φ42	
		150A	A2-5 φ42	A2-5 φ42	
		150B	A2-5 φ32	A2-5 φ32	
	NTX-W	φ61仕様	A2-6	A2-6	
	NTX-S	φ71仕様	A1-8	A1-8	
NTJ	100	A2-5 (OPT A2-6)	A2-5 (OPT A2-6)		
NTM3	φ51仕様	A2-5	A2-5		
NTY3	100	A2-5 (OPT A2-6)	A2-5 (OPT A2-6)		
NTJX	φ51仕様	A2-5	A2-5		
NTRX	φ65仕様	A2-6	A2-5		
	300/300II	A2-6 (OPT A2-8)	A2-6 (OPT A2-8)		
SUPER TURN	2AM	A2-5	-		
	2BM	A1-8	-		
	3	A1-6	-		
	4	A1-8	-		
	5	A1-8	-		
	6	A1-11	-		
ABX	51SY,51TH2	A2-6	A2-6		
	64SY,64TH2	A2-8	A2-6		
	BNC	34C5,42C5	スリット,アレット仕様	-	
		34C5,42C5	スリット,アレット仕様	-	
	BND	34S5,42S5	スリット,アレット仕様	-	
		51C2	A2-6(拡大:A2-8)	-	
	BNE	51S2,51SY2	A2-6(拡大:A2-8)	スリット,アレット仕様	
		34S5,34SY5	スリット,アレット仕様	スリット,アレット仕様	
		51S,51SY5	A2-6	スリット,アレット仕様	
	BNJ	34S,34SY	スリット,アレット仕様	スリット,アレット仕様	
42S,42SY		スリット,アレット仕様	スリット,アレット仕様		
51S,51SY2		A2-6(拡大:A2-8)	スリット,アレット仕様		
BX	20S,26S	スリット,アレット仕様	スリット,アレット仕様		
	LX	06E2	スリット,アレット仕様	-	
08C,08R		スリット,アレット仕様	-		
08E2		A2-6	-		
LZ	01R2,01RY2	スリット,アレット仕様	-		
	02R2,02RY2	A2-6	-		
GN	3200,3000,4	スリット,アレット仕様	-		
	3000W,3100W	スリット,アレット仕様	スリット,アレット仕様		
	BM250	スリット,アレット仕様	スリット,アレット仕様		
MW	40	フラットノーズ	フラットノーズ		
	50	フラットノーズ	フラットノーズ		
	80	フラットノーズ	フラットノーズ		
	100G(HG),120G(HG)	A2-5	A2-5		
	180	A2-6	A2-6		
	200G	A2-6	A2-6		
	200GS(高出力仕様)	A2-8	A2-8		
	300G	A2-8	A2-8		
400G	A2-11	A2-11			
MS	20	フラットノーズ	-		

型 式	第一主軸		第二主軸		
	形状 (JIS)	形状 (JIS)	形状 (JIS)	形状 (JIS)	
50G,60G	50G,60G	A2-5	-		
	90	A2-6	-		
	100G	A2-6	-		
	MZ	60G	フラット	-	
		60G	A2-5	-	
		100G	A2-6	-	
		120G	A2-5	A2-5	
	MD	180	A2-6	A2-6	
		200G	A2-6	A2-6	
		MJ	60	A2-5	-
100			A2-6	-	
MT	200	フラットノーズ	-		
	12	A2-5	A2-5		
	20,25	A2-6	A2-6		
ML	100	φ90A2-5/φ110A2-6	φ90A2-5/φ110A2-6		
	200	φ100,110,120A2-6/φ130A2-8	φ100,110,120A2-6/φ130A2-8		
	400	A2-6	-		
MV	120(M)	A2-5	-		
WSC	6	フラット,アレット仕様	-		
1SC	12	A2-5	-		
	10M5000	A2-6	-		
MSC	12M5020	A2-8	-		
	22	A2-8	-		
2SC	15M5060,18M5090	A1-11	-		
3SC	24(M5240),28	A1-15	-		
ALX	1500	A2-5	-		
	2000	A2-6	-		
	2500	A2-8	-		
CL	1500	A2-5	-		
	2000A,2000B(大貫通穴仕様)	A2-6	-		
Dura Turn	1530	A2-5	-		
	2030	A2-6	-		
	2050	A2-6	-		
	2550	A2-8	-		
MT	(大貫通穴仕様)	A2-6	-		
	第二主軸付き	A2-5	A2-5		
	第二主軸付き(大貫通穴仕様)	A2-6	A2-5		
	2000	A2-6	-		
	2000(第二主軸付)	A2-6	A2-5		
	2500,3000	A2-8	-		
	2500(第二主軸付),3000(第二主軸付)	A2-8	A2-6		
	4000Aタイプ	A2-11	-		
	4000Bタイプ	A2-15	-		
	4000Cタイプ	A1-20	-		
4000Aタイプ(第二主軸付)	A2-11	A2-8			
4000Bタイプ(第二主軸付)	A2-15	A2-8			
4000Cタイプ(第二主軸付)	A1-20	A2-8			
NL	1500	A2-5	-		
	1500(第二主軸付)	A2-5	A2-5		
	2000	A2-6	-		
	2000(第二主軸付)	A2-6	A2-5		
NLX	2500,3000	A2-8	-		
	2500(第二主軸付)	A2-8	A2-5		
	2000	A2-6	-		
	2000(第二主軸付)	A2-6	A2-5		
NRX	1500	A2-5	-		
	1500(第二主軸付)	A2-5	A2-5		
NT	2000(第二主軸付)	A2-6	A2-5,A2-6(オプション)		
	2500(第二主軸付)	A2-8	A2-5,A2-6(オプション)		
NTX	4000	A2-11,A2-15(オプション)	-		
	6000	A2-20	-		
	2000	A2-5	-		
	3100,3150	A2-5	-		
	3100(第二主軸付),3150(第二主軸付)	A2-5	A2-5		
	3200,4200	A2-6	-		
	3200(第二主軸付),4200(第二主軸付)	A2-6	A2-6		
	4250,4300	A2-8	-		
	4250(第二主軸付),4300(第二主軸付)	A2-8	A2-8		
	5400	A2-11	-		
5400(第二主軸付)	A2-11	A2-11			
6600B	A2-15	-			
6600B(第二主軸付)	A2-15	A2-15			
6600C	A1-20	-			
6600C(第二主軸付)	A1-20	A1-20			
NZ	1000	A2-5	A2-5		
	2000	A2-6	A2-6		
	2000,3000	A2-8	A2-8		
NZ-S	1500	A2-5	A2-5		
	1500(大貫通穴仕様)	A2-6	A2-6		
NZX	1500	A2-5	A2-5		
	2000	A2-6,A2-8(オプション)	A2-6		
	2500	A2-6(オプション),A2-8	-		
	4000	A2-11,A2-15,A2-20	-		
RL	153	A2-5	A2-5		
203	A2-6	A2-6			

\*DMG森精機(株) 旧メーカー名: (株)アマダマシンツール ワシノ 機械(株)含む

型 式	第一主軸		第二主軸	
	形状 (JIS)	形状 (JIS)	形状 (JIS)	形状 (JIS)
SL	2500	A2-8	A2-8	
	154	A2-5	-	
	154(第二主軸付)	A2-5	A2-5	
SL	204	A2-6	-	
	204(第二主軸付)	A2-6	A2-5	
	2500Y,303A,303B(大貫通穴仕様)	A2-8	-	
	403B,65B,65MC	A2-11	-	
	403C,603B,803A,80A,80F	A2-15	-	
	603C,65C,803,803B,80,80B	A1-20	-	
	65A,75A	A1-11	-	
	803C,80C	A2-20	-	
	1000	A2-5	-	
	VL	253A1	A2-8	-
553		A2-11	-	
ZL	153	A2-5	-	
	153(第二主軸付)	A2-5	A2-5	
	203,253(高速回転仕様)	A2-6	-	
	203(第二主軸付)	A2-6	A2-5	
	253,35	A2-8	-	
	253S	A2-8	A2-5	
	45B,45MC	A2-11	-	
ZT	1000Y,1500Y	A2-5	A2-5	
	1500YB	A2-6	A2-5	
	1500YB(第二主軸大貫通穴仕様)	A2-6	A2-6	
	2500	A2-8	A2-8	
	S1500	A2-5	-	
	S1500(大貫通穴仕様)	A2-6	-	
L	3-J2,3-J3	A1-6	-	
	5-J2,5-J3	A2-8	-	
	6-J	A1-11	-	
	7-J	A2-11	-	
	12-C,15-C	A1-8	-	
	LE(G)	19K	A1-6	-
LEO(G)	80A,125A	A1-6	-	
LG	5,6,7,7M	A2-4	-	
	7F,8,8M,8MC	A2-6	-	
LJ	3A	A2-4	-	
	3B,5B	A2-6	-	
	6,10,6M(MC),10M(MC)	A2-8	-	
LN	32N,50N	A1-6	-	
LPT	35C	A1-5	-	
LR	55A	A1-5	-	
SH	5(M,D,DM)	A2-4	-	
SL	10,10S	A2-6	-	
	12	A2-8	-	
TH	5(M)	A2-4	-	
	10(M)	A2-6(特殊時:A2-4)	-	
G	100,100M	Φ100フラット	-	
	04T,04-UP	特殊	-	
	05-UP	Φ95フラット	-	
	05,06,07,07-M	Φ100フラット	-	
	G-5	Φ80フラット	-	
	06,06P	Φ100フラット	-	
	07,07M	Φ100フラット	-	
	07-F	A2-6	-	
	J	1	Φ100フラット	-
		f-1	Φ80フラット	-
J-1,JJ-1		Φ100フラット	-	
3		A2-6	-	
5		A2-6/A2-8	-	
A	i8,i8f	Φ56フラット/Φ80フラット	-	
	12,D-12	A2-6	-	
	18-S,D-18S	A2-8	-	
	150Y,150SY	A2-6	-	
C	3D	A2-6	-	
CT	4500	A2-11	-	
	5500	A2-20	-	
DT	20	A2-6	A2-6	
	25	A2-8	A2-8	
	200	A2-6	A2-6	
INTE	1004	A2-5	-	
	1004S	A2-5	A2-5	
	2004	A2-6	-	
	2004S	A2-6	A2-6	
	3004,4004	A2-8	-	
	3004S,4004S	A2-8	A2-8	
	410H2,410H2T777仕様,420H2	A2-8	-	
	410HS2,410HS2T777仕様,420HS2	A2-8	A2-8	
	420H2T777仕様,500H2,650H2	A2-11	-	
	420HS2T777仕様,500HS2,650HS2	A2-11	A2-11	
	500H2T777仕様,650H2T777仕様	A2-15	-	
	500HS2T777仕様,650HS2T777仕様	A2-15	A2-11	
	i-100	A2-5	-	
	i-100S	A2-5	A2-5	
	i-200	A2-6	-	
	i-200S	A2-6	A2-6	
	i-300	A2-8	-	
	i-300S	A2-8	A2-8	

DMG 森精機(株)

ヤマザキマザック(株)

型 式	第一主軸		第二主軸	
	形状 (JIS)	形状 (JIS)	形状 (JIS)	形状 (JIS)
IVS	i-400	A2-8	-	
	i-400S	A2-8	A2-8	
	j-200	A2-6	-	
	j-200S	A2-6	A2-5	
	j-300	A2-8	-	
	j-400	A2-8	-	
	200	A2-6	-	
	300	A2-8	-	
	400	A2-11	-	
	M	4	A2-8	-
5		A1-11	-	
MP	6100	A2-5	A2-5	
	4200,6200	A2-6	A2-6	
	4300,6250,6300,6500	A2-8	A2-8	
MPN	8200Y	A2-6	A2-6	
NANO TURN		φ85h6フラットノズ	-	
PM		A1-11	-	
QTN	100	A2-5	-	
	100S	A2-5	A2-5	
	150,200	A2-6	-	
	200S	A2-6	A2-5	
	250	A2-8	-	
	300	A2-8	-	
	350,400	A2-11	-	
	450	A2-15	-	
	QT	100	A2-5	-
		100S	A2-5	A2-5
200		A2-6	-	
200S		A2-6	A2-5	
250		A2-8	-	
250S		A2-8	A2-5	
300		A2-8	-	
350,400		A2-11	-	
450		A2-15	-	
QTC		100	A2-6	-
	200	A2-8	-	
	300	A2-11	-	
ST	450,50	A1-11	-	
	60	A2-15	-	
	80	A2-11	-	
X	100	A2-5	-	
	120	A2-5	フラット	
	150	A2-6	-	
	180	A2-6	-	
	200	A2-6(A2-8 opt)	A2-5	
	S700	A2-6,A2-8	-	
	12	A2-5	-	
	20	A2-6	A2-6	
	XT	6	A2-5	-
		8	A2-6	-
XTT	500	A2-6(A2-8 opt)	A2-6(A2-8 opt)	
XWT	10	A2-8	-	
XC	100	A2-5	-	
	150	φ170フラット	-	
XL	100	A2-5	-	
	150	A2-6(A2-8 opt)	-	
	200	A2-6(A2-8)	A2-5	
	150	φ170フラット	-	
XD	7	凸φ75フラット	コレットチャック専用	
	5	フラット	フラット	
	8	フラット	フラット	
	8t	フラット	フラット	
	10i	A2-5	A2-5	
	XW	30	A3-S2	-
30PLUS		A2-3	-	
40		A2-5	-	
50		凹φ82.55フラット	凹φ82.55フラット	
60		A2-5(A2-4 opt)	A2-5(A2-4 opt)	
80		A2-5	A2-5	
130		A2-6	A2-6	
150		A2-6	A2-6	
180		A2-6	A2-6	
200		A2-8	凸φ75フラット	
XY	120	A2-5	凸φ75フラット	
	1000	A2-5	A2-5	
	2000	A2-6(A2-8 opt)	A2-6	
	mini-TURN	凸φ75フラット	-	
TOP-TURNII	A仕様	A2-5	-	
	B仕様	A2-5	-	
USL	300	A3-S2	-	
	480	A3-S2	-	
J-WAVE		凹φ82.55フラット	-	
GSL	10	A2-5	-	
	15	A2-6	-	
VERSEC-neo		A1-5	-	

ヤマザキマザック(株)

高松機械工業(株)

NSC

\*DMG森精機(株) 旧メーカー名: (株)アマダマシンツール ワシノ機械(株)含む



**CHUCK**

# Compatibilities of Lathes to Short Taper Chucks

Model		First Spindle Nose (JIS)	Second Spindle Nose (JIS)	
IKEGAI	AN	20N	A2-6	
		25N	A2-8	
	AX	30N	A2-8	
	EC18	40B	A2-15	
	ED18		A1-5	
	FT		A1-5	
		20	A2-6	
	FX	20U,25U,20J,25J,600	A2-8	
		10N	A2-5	
		15N,MINI	Straight, plate	
		20N	A1-6	
		20II	A2-6	
		25W,25II	A2-8	
	LX20N		A1-6	
	TC	8,10	Straight, plate	
		15	A2-6	
		25	A2-8	
TCR	15	A2-6		
	25,25Y	A2-8		
TU	15	A2-6		
TUR	15	A2-6		
TM25YS	Sub	A2-6		
	Maine	A2-8		
OKUMA	LB	2000EX	φ140Flat (A2-6)	φ140Flat
		2500EX	A2-6	
		3000EX	A2-6(A2-8,A2-11)	φ140Flat
		4000EX	A2-8(A2-11)	
		2000EX II	φ140Flat (A2-6)	φ140Flat
		2500EX II	A2-6	
		3000EX II	A2-6(A2-8,A2-11)	φ140Flat
		4000EX II	A2-8(A2-11)	
		35II	A2-8(A2-11,A2-15)	
		45I	A2-11(A2-20)	
		35III	A2-8(A2-11,A2-15)	
	45III	A2-11(A2-20)		
	GENOS	L250II	A2-6	
		L400II	A2-8	
		L2000	A2-6	
		L3000	A2-8	
	LU	300	φ140Flat(A2-6,A2-8)	
		400	A2-8(A2-11)	
		3000EX	A2-6	
		4000EX	A2-8	
		35	A2-8(A2-11,A2-15)	
		45	A2-11(A2-20)	
		35II	A2-8(A2-11,A2-15)	
		45II	A2-11(A2-20)	
	LCS	250	A2-6(A2-8)	
		25	A2-8	
	2SP	150H	φ140Flat	
		250H	A2-6	
		10HG	φ140Flat	φ140Flat
		25HG	A2-6	A2-6
35HG,V40		A2-8	A2-8	
V60,V80		A2-11	A2-11	
LFS	10-2SP	φ140Flat	φ140Flat	
	10M-2SP	φ140Flat	φ140Flat	
3SP	25HG	A2-6	A2-6	
LVT	300	A2-6		
	400	A2-8		
LAW	F II, 2S	A2-8		
	V24	A2-11		
MAC TURN	250	A2-6(A2-8)	φ140Flat(A2-6)	
	350	A2-6(A2-8)	φ140Flat(A2-6,A2-8)	
	550	A2-8(A2-11)	A2-8	
MULTUS	B200	φ140Flat		
	B200(W)	φ140Flat	φ140Flat	
	B300	A2-6(A2-8)		
	B300(W)	A2-6(A2-8)	A2-6	
	B400	A2-8(A2-11)		
	B400(W)	A2-8(A2-11)	A2-8	
	B550	A2-11		
	B750	A2-11(A2-15,A2-20)		
	B200II	φ140Flat(A2-6)		
	B250II	A2-6(A2-8)		
	B300II	A2-6(A2-8)		
	B400II	A2-8(A2-11)		
	U3000	A2-6		
U4000	A2-8			

\*SHIMADA MACHINERY includes former manufacturer : KITAKO

Model		First Spindle Nose (JIS)	Second Spindle Nose (JIS)	
OKUMA	U5000	A2-11		
	LT	200-M	φ140Flat(A2-6)	φ140Flat(A2-6)
		300-M	A2-6(A2-8)	A2-6(A2-8)
		2000EX	φ140Flat(A2-6)	φ140Flat(A2-6)
		3000EX	A2-6(A2-8)	A2-6(A2-8)
	LOC	650	A2-15(A2-20,φ725Flat)	
	LH(※)	55-N	A2-11(A2-15,A2-20)	
	HJ	18	φ140Flat	
		28,250	A2-6	
	HL	20	A2-6	
		35(L)	A2-8	
	SV	250	φ140Flat	
		40R	A2-8	
	V	60R,80R	A2-11	
		100R	φ380Flat	
		760EX	A2-11	
	VTM	920EX	A2-11	
70		A2-11		
	65,100,80YB,120YB	A2-11		
※Mounting bolts of LH are unifying specifications. Numerical values in ( ) are large diameter as option.				
KITAKO	ACE		A2-6	
	mini ACE		A2-5	
	MT4	75,80,80-200,85	φ60Flat	
		120,120G,125	A2-5	
		170,200,250S	A2-6	
	MT3	120	A2-5	
		200	A2-6	
	TG1	52	A2-6	
	TM1	52	A2-6	
	V	5II,Turn	A2-6	
	VT1	200	A2-6	
400,500		A2-8		
VT2	500	A2-8		
	200	A2-6		
VT4	450,550	A2-8		
SHIMADA MACHINERY	HS	4200	A2-6	
	VT4	350	A2-8	
DANICHI KINZOKU KOGYO	B70		A2-11	
	DGL	6,8,10	A1-6	
	DHK,DHM,N105,SH		A1-11	
		DLG	SH	A1-6
	DM		A1-11	
			SHB	A1-11
	F		A1-11	
			III	A2-11
	M95		A2-5	
			15	A2-6
	M		20	A2-6
			25	A1-6
	TAL		30,35	A2-8
			A1-11	
TAKISAWA	TC	112,132,152	A2-15	
			A2-15	
			A2-15	
	TK	460,510	A1-6	
		600	A1-8	
		100	Flatφ140	
		200	A2-6 or Flatφ140	
	TAC	350	A2-8	
		40	A2-11	
		2	A2-6	
		360	A1-5	
	TSL	510,650	A2-8	
		780	A2-11	
950		A2-11		
550,800		A1-5 ※Inquiry required		
TT	160	Flatφ140		
	200	A2-6		
TMM	250	A2-8	A2-6	
	200	A2-6	A2-6	
TNR	200	A2-6	A2-6	
	1100	Flatφ140		
TCC	2100	A2-6		
	2600	A2-8		
TCN	3500	A2-8/A2-11		
	6000	A2-11/A2-15/A2-20		
TG	500	Flatφ80		
	1100	Flatφ140		
	2100	Flatφ140		
	2600	A2-6		
TT	350	A2-8		

第4・10号  
Laws and Accessories

		Model	First Spindle Nose (JIS)	Second Spindle Nose (JIS)	
TAKISAWA	TK	2100	A2-6		
		2600	A2-8		
	TF	2600	A2-6		
	TCY	160	Flat $\phi$ 140	Flat $\phi$ 140	
		200	A2-6	Flat $\phi$ 140	
		2000	A2-5	A2-5	
	TS	3000	A2-6	Flat $\phi$ 140	
		4000	A2-8	Flat $\phi$ 140	
		5000	A2-8/A2-11	A2-6/Flat $\phi$ 140	
	TMX	2000	A2-6	A2-6	
4000		A2-6/A2-8/A2-11	A2-6/A2-8		
TM	4000	A2-8	A2-6		
TMM	250	A2-8	A2-6		
TSUGAMI	PAN	1,2	Straight, plate	-	
	NCM	45/160,70/160	Straight, plate	-	
	NL	1	A1-6	-	
NAKAMURA	TMC	12	A2-5	-	
		18	A2-6	-	
	TMY	25	A2-6	-	
	SC	100	A2-5	A2-5(OPT)	
		150II	A2-5	-	
		200	A2-6	A2-5(OPT)	
		250	A2-6	A2-5(OPT)	
		300II/II	A2-8	A2-5(OPT)	
		450	A2-8	-	
	TW	8	Flat $\phi$ 108	Flat $\phi$ 108	
		10	A2-5	A2-5	
		20	A2-6	A2-6	
		30	A1-8	A1-8	
	WT	100	A2-5	A2-5	
		150	A2-5	A2-5	
		250A	A2-6	A2-5	
		250B	A2-5	A2-5	
		250C	A2-5	A2-5	
		300	A2-6	A2-6	
	JX	250	A2-6 (OPT A2-8)	A2-6	
	MX	100	A2-5 (OPT A2-6)	A2-5	
	STW/STS	40	A1-8	A1-8	
	WTW/WTS	150 Big bore	A2-6 $\phi$ 65	A2-5 $\phi$ 51	
		150 Big bore	A2-5 $\phi$ 51	A2-5 $\phi$ 42	
		150A	A2-5 $\phi$ 42	A2-5 $\phi$ 42	
		150B	A2-5 $\phi$ 32	A2-5 $\phi$ 32	
	NTX-W	$\phi$ 61	A2-6	A2-6	
	NTX-S	$\phi$ 71	A1-8	A1-8	
	NTJ	100	A2-5 (OPT A2-6)	A2-5 (OPT A2-6)	
	NTM3	$\phi$ 51	A2-5	A2-5	
	NTY3	100	A2-5 (OPT A2-6)	A2-5 (OPT A2-6)	
	NTJX	$\phi$ 51	A2-5	A2-5	
	NTRX	$\phi$ 65	A2-6	A2-5	
		300/300II	A2-6 (OPT A2-8)	A2-6 (OPT A2-8)	
	SUPER TURN	2AM	A2-5	-	
		2BM	A1-8	-	
		3	A1-6	-	
		4	A1-8	-	
		5	A1-8	-	
		6	A1-11	-	
	CITIZEN MACHINERY	ABX	51SY,51TH2	A2-6	A2-6
			64SY,64TH2	A2-8	A2-6
		BNC	34C5,42C5	Straight, plate	-
		BND	34C5,42C5	Straight, plate	-
			34S5,42S5	Straight, plate	-
51C2			A2-6(Enlarged A2-8)	-	
BNE		51S2,51SY2	A2-6(Enlarged A2-8)	Straight, plate	
		34S5,34SY5	Straight, plate	Straight, plate	
		51S,51SY5	A2-6	Straight, plate	
BNJ		34S,34SY	Straight, plate	Straight, plate	
		42S,42SY	Straight, plate	Straight, plate	
		51S,51SY2	A2-6(Enlarged A2-8)	Straight, plate	
BX		20S,26S	Straight, plate	Straight, plate	
LX		06E2	Straight, plate	-	
		08C,08R	Straight, plate	-	
	08E2	A2-6	-		
LZ	01R2,01RY2	Straight, plate	-		
	02R2,02RY2	A2-6	-		
	3200,3000,4	Straight, plate	-		
GN	3000W,3100W	Straight, plate	Straight, plate		
	BM250	Straight, plate	Straight, plate		
	MW	40	Flat nose	Flat nose	
MURATA	50	Flat nose	Flat nose		
		80	Flat nose	Flat nose	
	100G(HG),120G(HG)	A2-5	A2-5		
	180	A2-6	A2-6		
	200G	A2-6	A2-6		
	200GS(High power)	A2-8	A2-8		
	300G	A2-8	A2-8		
	400G	A2-11	A2-11		
	MS	20	Flat nose	-	

		Model	First Spindle Nose (JIS)	Second Spindle Nose (JIS)
MURATA		50G,60G	A2-5	-
		90	A2-6	-
		100G	A2-6	-
	MZ	60G	Flat	-
		60G	A2-5	-
		100G	A2-6	-
		120G	A2-5	A2-5
		180	A2-6	A2-6
	MD	200G	A2-6	A2-6
		60	A2-5	-
		100	A2-6	-
	MJ	200	Flat nose	-
		12	A2-5	A2-5
		20,25	A2-6	A2-6
	MT	100	$\phi$ 90A2-5/ $\phi$ 110A2-6	$\phi$ 90A2-5/ $\phi$ 110A2-6
		200	$\phi$ 100,110,120A2-6/ $\phi$ 130A2-8	$\phi$ 100,110,120A2-6/ $\phi$ 130A2-8
		400	A2-6	-
	ML	120(M)	A2-5	-
	WSC	6	Flat, plate	-
	1SC	12	A2-5	-
		10M5000	A2-6	-
	MSC	12M5020	A2-8	-
		22	A2-8	-
	2SC	15M5060,18M5090	A1-11	-
	3SC	24(M5240),28	A1-15	-
	ALX	1500	A2-5	-
		2000	A2-6	-
		2500	A2-8	-
	CL	1500	A2-5	-
		2000A,2000B(Large bore spec)	A2-6	-
Dura Turn	1530	A2-5	-	
	2030	A2-6	-	
	2050	A2-6	-	
	2550	A2-8	-	
MT	(Large bore spec)	A2-5	-	
	(Large bore spec)	A2-6	-	
	With 2nd main spindle	A2-5	A2-5	
	With 2nd main spindle(Large bore spec)	A2-6	A2-5	
	2000	A2-6	-	
	2000(With 2nd main spindle)	A2-6	A2-5	
	2500,3000	A2-8	-	
	2500(With 2nd main spindle)	A2-8	A2-6	
	4000A Type	A2-11	-	
	4000B Type	A2-15	-	
4000C Type	A1-20	-		
4000A Type(With 2nd main spindle)	A2-11	A2-8		
4000B Type(With 2nd main spindle)	A2-15	A2-8		
4000C Type(With 2nd main spindle)	A1-20	A2-8		
NL	1500	A2-5	-	
	1500(With 2nd main spindle)	A2-5	A2-5	
	2000	A2-6	-	
	2000(With 2nd main spindle)	A2-6	A2-5	
	2500,3000	A2-8	-	
NLX	2500(With 2nd main spindle)	A2-8	A2-5	
	1500	A2-5	-	
	1500(With 2nd main spindle)	A2-5	A2-5	
	2000	A2-6	-	
	2000(With 2nd main spindle)	A2-6	A2-5,A2-6(Option)	
NRX	2500,3000	A2-8	-	
	2500(With 2nd main spindle)	A2-8	A2-5,A2-6(Option)	
	4000	A2-11,A2-15(Option)	-	
NT	6000	A2-20	-	
	2000	A2-5	-	
NTX	3100,3150	A2-5	-	
	3100(With 2nd main spindle),3150(With 2nd spindle)	A2-5	A2-5	
	3200,4200	A2-6	-	
	3200(With 2nd main spindle),4200(With 2nd spindle)	A2-6	A2-6	
	4250,4300	A2-8	-	
	4250(With 2nd main spindle),4300(With 2nd spindle)	A2-8	A2-8	
	5400	A2-11	-	
5400(With 2nd main spindle)	A2-11	A2-11		
NZ	6600B	A2-15	-	
	6600B(With 2nd main spindle)	A2-15	A2-15	
	6600C	A1-20	-	
NTX	6600C(With 2nd main spindle)	A1-20	A1-20	
	1000	A2-5	A2-5	
	2000	A2-6	A2-6	
NZ-S	2000,3000	A2-8	A2-8	
	1500	A2-5	A2-5	
NZX	1500(Large bore spec)	A2-6	A2-6	
	1500	A2-5	A2-5	
	2000	A2-6,A2-8(Option)	A2-6	
	2500	A2-6(Option),A2-8	-	
RL	4000	A2-11,A2-15,A2-20	-	
	153	A2-5	A2-5	
	203	A2-6	A2-6	

\*DMG MORI SEIKI includes former manufacturer : Amada Machine Tools, WASINO

Model		First Spindle Nose (JIS)	Second Spindle Nose (JIS)
DMG MORI SEIKI	2500	A2-8	A2-8
	SL 154	A2-5	—
	154(With 2nd main spindle)	A2-5	A2-5
	204	A2-6	—
	SL 204(With 2nd main spindle)	A2-6	A2-5
	2500Y,303A,303B(Large bore spec)	A2-8	—
	403B,65B,65MC	A2-11	—
	403C,603B,803A,80A,80F	A2-15	—
	603C,65C,803,803B,80,80B	A1-20	—
	65A,75A	A1-11	—
	803C,80C	A2-20	—
	1000	A2-5	—
	VL 253A1	A2-8	—
	553	A2-11	—
	ZL 153	A2-5	—
	153(With 2nd main spindle)	A2-5	A2-5
	203,253(High speed spec.)	A2-6	—
	203(With 2nd main spindle)	A2-6	A2-5
	253,35	A2-8	—
	253S	A2-8	A2-5
	45B,45MC	A2-11	—
	ZT 1000Y,1500Y	A2-5	A2-5
	1500YB	A2-6	A2-5
	1500YB(With 2nd main spindle, Large bore spec)	A2-6	A2-6
	2500	A2-8	A2-8
	S1500	A2-5	—
	S1500(Large bore spec)	A2-6	—
	L 3-J2,3-J3	A1-6	—
	5-J2,5-J3	A2-8	—
	6-J	A1-11	—
	7-J	A2-11	—
	12-C,15-C	A1-8	—
	LE(G) 19K	A1-6	—
	LEO(G) 80A,125A	A1-6	—
	LG 5,6,7,7M	A2-4	—
	7F,8,8M,8MC	A2-6	—
	LJ 3A	A2-4	—
	3B,5B	A2-6	—
	6,10,6M(MC),10M(MC)	A2-8	—
	LN 32N,50N	A1-6	—
	LPT 35C	A1-5	—
	LR 55A	A1-5	—
	SH 5(M,D,DM)	A2-4	—
	SL 10,10S	A2-6	—
	12	A2-8	—
	TH 5(M)	A2-4	—
	10(M)	A2-6 (at special A2-4)	—
	G 100,100M	φ100Flat	—
	04T,04-UP	Special	—
	05-UP	φ95Flat	—
	05,06,07,07-M	φ100Flat	—
	G-5	φ80Flat	—
	06,06P	φ100Flat	—
	07,07M	φ100Flat	—
07-F	A2-6	—	
J 1	φ100Flat	—	
f-1	φ80Flat	—	
J-1,JJ-1	φ100Flat	—	
3	A2-6	—	
5	A2-6/A2-8	—	
A i8,i8f	φ56Flat/φ80Flat	—	
12,D-12	A2-6	—	
18-S,D-18S	A2-8	—	
150Y,150SY	A2-6	—	
C 3D	A2-6	—	
YAMAZAKI MAZAK	CT 4500	A2-11	—
	5500	A2-20	—
	DT 20	A2-6	A2-6
	25	A2-8	A2-8
	200	A2-6	A2-6
	INTE 1004	A2-5	—
	1004S	A2-5	A2-5
	2004	A2-6	—
	2004S	A2-6	A2-6
	3004,4004	A2-8	—
	3004S,4004S	A2-8	A2-8
	410H2,410H2 Option spec.,420H2	A2-8	—
	410HS2,410HS2 Option spec.,420HS2	A2-8	A2-8
	420H2 Option spec.,500H2,650H2	A2-11	—
	420HS2 Option spec.,500HS2,650HS2	A2-11	A2-11
	500H2 Option spec.,650H2 Option spec.	A2-15	—
	500HS2 Option spec.,650HS2 Option spec.	A2-15	A2-11
	i-100	A2-5	—
	i-100S	A2-5	A2-5
	i-200	A2-6	—
	i-200S	A2-6	A2-6
	i-300	A2-8	—
	i-300S	A2-8	A2-8

Model		First Spindle Nose (JIS)	Second Spindle Nose (JIS)	
YAMAZAKI MAZAK	i-400	A2-8	—	
	i-400S	A2-8	A2-8	
	j-200	A2-6	—	
	j-200S	A2-6	A2-5	
	j-300	A2-8	—	
	j-400	A2-8	—	
	IVS 200	A2-6	—	
	300	A2-8	—	
	400	A2-11	—	
	M 4	A2-8	—	
	5	A1-11	—	
	MP 6100	A2-5	A2-5	
	4200,6200	A2-6	A2-6	
	4300,6250,6300,6500	A2-8	A2-8	
	MPN 8200Y	A2-6	A2-6	
	NANO TURN	φ85h6 Flat nose	—	
	PM	A1-11	—	
	QTN 100	A2-5	—	
	100S	A2-5	A2-5	
	150,200	A2-6	—	
	200S	A2-6	A2-5	
	250	A2-8	—	
	300	A2-8	—	
	350,400	A2-11	—	
	450	A2-15	—	
	QT 100	A2-5	—	
	100S	A2-5	A2-5	
	200	A2-6	—	
	200S	A2-6	A2-5	
	250	A2-8	—	
	250S	A2-8	A2-5	
	300	A2-8	—	
	350,400	A2-11	—	
	450	A2-15	—	
	QTC 100	A2-6	—	
	200	A2-8	—	
	300	A2-11	—	
	ST 450,50	A1-11	—	
	60	A2-15	—	
	80	A2-11	—	
	TAKAMATSU	X 100	A2-5	—
		120	A2-5	Flat
		150	A2-6	—
		180	A2-6	—
		200	A2-6 (A2-8 opt)	A2-5
		S700	A2-6,A2-8	—
		12	A2-5	—
		20	A2-6	A2-6
		XT 6	A2-5	—
		8	A2-6	—
		XTT 500	A2-6 (A2-8 opt)	A2-6 (A2-8 opt)
		XWT 10	A2-8	—
		XC 100	A2-5	—
		150	φ170Flat	—
XL 100		A2-5	—	
150		A2-6 (A2-8 opt)	—	
200		A2-6(A2-8)	A2-5	
SX 150		φ170Flat	—	
XD 7		convexφ75Flat	Collect chuck only	
5		Flat	Flat	
8		Flat	Flat	
8t		Flat	Flat	
10i		A2-5	A2-5	
XW 30		A3-S2	—	
30PLUS		A2-3	—	
40		A2-5	—	
50		concaveφ82.55Flat	concaveφ82.55Flat	
60		A2-5 (A2-4 opt)	A2-5 (A2-4 opt)	
80		A2-5	A2-5	
130		A2-6	A2-6	
150	A2-6	A2-6		
180	A2-6	A2-6		
200	A2-8	convexφ75Flat		
XY 120	A2-5	convexφ75Flat		
1000	A2-5	A2-5		
2000	A2-6 (A2-8 opt)	A2-6		
mini-TURN	convexφ75Flat	—		
TOP-TURNII A	A2-5	—		
B	A2-5	—		
USL 300	A3-S2	—		
480	A3-S2	—		
J-WAVE	concaveφ82.55Flat	—		
GSL 10	A2-5	—		
15	A2-6	—		
SANDA UMS	VERSEC-neo	A1-5	—	